


## Mila

Item number 28699, KMAT 61000251




### Product description

Mila is a classic velour that is characterized by its matt shimmer and dense pile. The color palette consists of 28 typical velour colors. At 380 g/m<sup>2</sup>, it is a middleweight in the velour family. Mila is suitable for use both as an upholstery fabric and as a curtain. The velour Lea with 520 g/m<sup>2</sup> and Elba 250 g/m<sup>2</sup> are available in the same color palette.

### Technical Details

<b>Fabric width</b>	approx. 140 cm
<b>Weight je m<sup>2</sup></b>	approx. 360 g/m <sup>2</sup>
<b>Composition</b>	100% Polyester Trevira CS
<b>Flame retardancy</b>	IMO 2010 FTP Code Part 8, IMO 2010 FTP Code Part 7, M 1, C 1, BS 5852 CRIB 5, EN 13773, DIN EN 1021-2, DIN EN 1021-1, DIN 4102 / B1, DIN 4102 / B2, NFPA 701, CAL TB 117, NFPA 260, BS 5867 Typ C Flammability performance is dependant on the foam used.
<b>Light fastness</b>	note 5-6
<b>Wash fastness 40°C DIN EN ISO 105-C06</b>	note 4
<b>Wash fastness 60°C DIN EN ISO 6330 DIN EN ISO 5077</b>	note 4-5
<b>Wash fastness 72°C DIN EN ISO 6330 DIN EN ISO 5077</b>	note 2-3

<b>Dimensional change Washing 30°C</b>	warp approx. +/-1%, weft approx. +/-1%
<b>Dimensional change Washing 60°C DIN EN ISO 6330 DIN EN ISO 5077</b>	warp approx. +/-1%, weft approx. +/-1%
<b>Rubbing fastness DIN EN ISO 105-X12</b>	dry: note 4-5, wet: note 4
<b>Abrasion to Martindale DIN EN ISO 12947-2 DIN EN 14465-2006</b>	approx. 100000 rubs
<b>Pilling DIN EN ISO 12945-2</b>	Note 4-5 at 2000 rpm
<b>Measured sound absorption coefficient DIN EN ISO 354/DIN EN ISO 11654</b>	0.75
<b>Sound absorption</b>	Class C
<b>Care labelling</b>	
<b>State</b>	2024-04-23