



Mila

Item number 28699, KMAT 61000251



Product description

Mila is a classic cut pile fabric characterised by its matt shimmer and dense pile. The colour palette consists of 28 typical cut pile colours. At 360 g/m², Mila is a middleweight in the cut pile family. Mila is suitable for use as both upholstery fabric and curtains. 100,000 abrasion cycles are proof of its durability and, with sound absorption class C, Mila gets good marks in the acoustics department. The 520 g/m² Lea and 250 g/m² Elba velours are available in the same colour palette. Mila is suitable for a wide range of applications, from curtains in hotel suites to upholstery fabric for high-quality restaurant seating and for furnishing cinemas and theatres.

Technical Details



Fabric width	approx. 140 cm
Weight per m²	approx. 360 g/m ²
Composition	100% Polyester Trevira CS
Flame retardancy	IMO 2010 FTP Code Part 8, IMO 2010 FTP Code Part 7, M 1, C 1, BS 5852 CRIB 5, EN 13773, DIN EN 1021-2, DIN EN 1021-1, DIN 4102 / B1, NFPA 701, CAL TB 117, NFPA 260, BS 5867 Typ C
Light fastness	note 5-6
Wash fastness 40°C	note 4

DIN EN ISO 105-C06

Wash fastness 60°C

note 4-5

DIN EN ISO 6330 DIN EN ISO 5077

Wash fastness 72°C

note 2-3

DIN EN ISO 6330 DIN EN ISO 5077

Dimensional change Washing 40°C

warp approx. +/-1%, weft approx. +/-1%

DIN EN ISO 6330 DIN EN ISO 5077

Dimensional change Washing 60°C

warp approx. +/-1%, weft approx. +/-1%

DIN EN ISO 6330 DIN EN ISO 5077

Dimensional change Washing 72°C

warp approx. +/-2%, weft approx. +/-1%

DIN EN ISO 6330 DIN EN ISO 5077

Rubbing fastness

dry: note 4-5, wet: note 4

DIN EN ISO 105-X12

Abrasion to Martindale

approx. 100000 rubs

DIN EN ISO 12947-2

DIN EN 14465-2006

Pilling

Note 4-5 at 2000 rubs

DIN EN ISO 12945-2

Measured sound absorption coefficient

0.75

DIN EN ISO 354/DIN EN ISO 11654

Sound absorption

Class C

Care labelling



Minimum quantities special colours m

185

Additional information

State

2026-03-07