

## Declaration of Performance

NR. DELIWALL 2

1. Product type:  
**Printed and embossed woven backed Vinyl Wallcovering, flame retardant**
2. Intended use:  
Hanging on to internal walls, partitions or ceilings, being flame retardant according to EN 13501-1, by means of adhesive for the primary purpose of decoration.
3. Manufacturer:  
Delius GmbH & Co. KG, Goldstr. 16-18, 33602 Bielefeld, Germany
4. Authorized representative:  
Not applicable
5. System of assessment:  
System 3
6. Harmonized standard :  
DIN EN 15102:2017 + A1:2011  
Notified product certification body BTTG T&C Ltd., Wira House, West Park Ring Road, Leeds; LS16 6 QL (ref.no.: 0338) (Ref: 27/03841BSupp/03/16) according to EN 13501-1.  
WKI Fraunhofer, Braunschweig, (ref.no.: 0765) tested the emission of formaldehyd, heavy metals and vinylchlorid-monomer /VCM) according to EN 12449:1997 / DIN EN 15102 and published the relevant test report no. MAIC-2018-0378.

**7. Declared performance:**

Essential characteristics	Performance	Limit Values	Harmonized technical specification
Reaction to fire	B-s2, d0		EN 13501-1
Release of formaldehyde	passed (1mg/kg)	120 mg/kg	EN 15102, part 4.2
Release of vinyl chloride-monomer	passed (<0,2mg/kg)	0,2 mg/kg	EN 15102, part 4.3.2
Release of other heavy metals:			EN 15102, part 4.3.1
Arsenic	passed (<1mg/kg)	25 mg/kg	
Lead	passed (<1mg/kg)	90 mg/kg	
Cadmium	passed (<1mg/kg)	25 mg/kg	
Antimony	(<1mg/kg)	No limit values	
Chromium	passed (<1mg/kg)	60 mg/kg	
Mercury	passed (<1mg/kg)	20 mg/kg	
Barium	passed (<1mg/kg)	500 mg/kg	
Selenium	passed (<1mg/kg)	165 mg/kg	
Sound absorption	No performance determined		DIN EN 15102
Thermal resistance	No performance determined		DIN EN 15102

The performance of the product identified in point 1 is in conformity with the declared performance in point 7. The declaration of performance is according to the EU regulation no. 305/2011 and is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer:

Bielefeld, 28/01/2025



Angelika Schmidt-Koch  
(Head of the Quality Department)

Other:



VOC Emission ISO 16000